

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/698,135	10/31/2003	William T. Flynn	29422-1	2828		
21130	7590 08/18/2006		EXAM	EXAMINER		
BENESCH, FRIEDLANDER, COPLAN & ARONOFF LLP ATTN: IP DEPARTMENT DOCKET CLERK 2300 BP TOWER			FRISTOE JI	FRISTOE JR, JOHN K		
			ART UNIT	PAPER NUMBER		
200 PUBLIC SQUARE			3751	3751		
CLEVELAND, OH 44114			DATE MAILED: 08/18/2006			

Please find below and/or attached an Office communication concerning this application or proceeding.



# SUPPLEMENTAL Notice of Allowability

Application No.	Applicant(s)
10/698,135	FLYNN, WILLIAM T.
Examiner	Art Unit
John K. Fristoe Jr.	3751

Notice of Allowability	Examiner	Art Unit	
	John K. Fristoe Jr.	3751	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. <b>THIS</b>
1. 🔀 This communication is responsive to the amendment filed to	<u>5,/5/2006</u> .		
2. X The allowed claim(s) is/are 1-7,9-13,15-17,21,22,24,25,27,	29-32,34-38 and 42-50.		
3. Acknowledgment is made of a claim for foreign priority un  a) All b) Some* c) None of the:  1. Certified copies of the priority documents have  2. Certified copies of the priority documents have  3. Copies of the certified copies of the priority documents have  International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submit	been received.  been received in Application No cuments have been received in this in  of this communication to file a reply ENT of this application.	national stage applica	quirements
INFORMAL PATENT APPLICATION (PTO-152) which give			
5. CORRECTED DRAWINGS ( as "replacement sheets") mus  (a) including changes required by the Notice of Draftspers  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	on's Patent Drawing Review (PTO- Amendment / Comment or in the Comment or in the Comment or the drawing to 37 CFR 1.121(compared to 37 CFR 1.121(c	office action of ags in the front (not the	
DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I			vote the
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☒ Examiner's Amendr 8. ☐ Examiner's Stateme 9. ☐ Other	(PTO-413), re nent/Comment	

Application/Control Number: 10/698,135

Art Unit: 3751

#### **EXAMINER'S AMENDMENT**

Page 2

1. Applicant's representative brought to the examiner's attention that the examiner inadvertently excluded a few amendments in the previous examiner's amendment. The instant examiner's amendment has been made to correct those exclusions.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Gregory Kolocouris on 8/16/2006.

The application has been amended as follows:

### **IN THE CLAIMS:**

In claim 10, line 1, --the spring is disposed between the first surface of the guide and-- has been added after "the".

In claim 10, line 1, "elongated portion of the valve includes a stem portion and the spring is positioned about a portion of' has been deleted.

In claim 10, line 3, --of the valve-- has been added after "portion".

In claim 12, line 2, "a" has been replaced with -- the stem--.

In claim 12, line 3, "a portion" has been replaced with -- the first surface--.

In claim 15, line 3, "of" has been deleted.

In claim 34, line 4, "and" has been deleted.

In claim 35, line 7, --first-- has been added after "by".

Application/Control Number: 10/698,135

Art Unit: 3751

In claim 35, line 14, --and-- has been added after "outward;".

The above amendments were made to correct exclusions by the examiner in the previous examiner's amendment.

## Allowable Subject Matter

3. Claims 1-7, 9-13, 15-17, 21, 22, 24, 25, 27, 29-32, 34-38, and 42-50 are allowed.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John K. Fristoe Jr. whose telephone number is (571) 272-4926. The examiner can normally be reached on Monday-Friday, 7: 00 a.m-4: 30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine R. Yu can be reached on (571) 272-4835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

John K. Fristoe Jr.

Page 3

Examiner

Art Unit 3751

**JKF** 

EDWARD K. LOOK SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700

8/17/06